

Technical Data

Cycloheximide Supplement

FD311

An antibiotic supplement recommended for the selective isolation of *Listeria* species. This supplement is used in various media as listed under direction.

Composition

Per vial sufficient for 500 ml medium

*Ingredients Concentration
Cycloheximide 25mg

Directions:

Rehydrate the content of 1 vial aseptically with 2-5 ml sterile boiling distilled water. Mix well and aseptically add to 500 ml of sterile molten cooled (45-50°C) L. mono Differential Agar Base MV1540 or L. mono Differential HiVegTM Agar Base MV1540 . Mix well and pour into sterile Petri plates.

Storage and Shelf Life

Store at 2-8°C. Use before expiry date on the label.

* Not For Medicinal Use

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia[™] publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia[™] Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.