



## M-EMB Broth

M1105

M-EMB Broth is a selective differential medium for the detection of members of the coliform group by the membrane filter technique.

### Composition\*\*

Ingredients	Gms / Litre
Proteose peptone	40.000
Yeast extract	6.000
Lactose	20.000
Bile salts mixture	1.000
Sodium chloride	5.000
Dipotassium phosphate	7.000
Eosin - Y	4.000
Methylene blue	1.330
Final pH ( at 25°C)	7.2±0.2

\*\*Formula adjusted, standardized to suit performance parameters

### Directions

Suspend 84.33 grams in 1000 ml distilled water. Heat, if necessary to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Autoclave sterilization is not required if the medium is used the same day of preparation.

### Principle And Interpretation

The membrane filter technique is extremely useful in monitoring water samples. As related to the membrane filter technique, the coliform group is defined as those facultative anaerobic, gram-negative, non-spore-forming, rod-shaped bacteria that develop red colonies with a metallic sheen within 24 hours at 35-37°C on an Endo-type medium containing lactose (1). M-EMB Broth is a selective differential medium used for the detection of members of the coliform group by membrane filtration. M-EMB Broth is formulated as per Clark et al (2).

Proteose peptone and yeast extract serve as sources of carbonaceous and nitrogenous growth nutrients. Lactose is the fermentable carbohydrate and energy source. Bile salts mixture helps to inhibit the accompanying non-coliforms. Sodium chloride maintains the osmotic equilibrium of the medium while dipotassium phosphate buffers the medium. Eosin-Y and methylene blue serve as the indicator system in the medium. The two dyes combine to form a precipitate at acidic pH, due to lactose fermentation. Eosin Y also serves as an inhibitor (3).

Membrane filters through which the test water sample has been passed are initially enriched for 2 hours by incubating the filter on M-Enrichment Broth (M1109). These enriched cultures (filters) are then transferred onto sterile absorbent cotton pads saturated with 2 ml of M-EMB Broth (M1105). Incubation is done at 35-37°C for 18-24 hours. Lactose fermenting coliforms produce pink coloured colonies while non-lactose fermenting coliforms will form colourless colonies.

### Quality Control

#### Appearance

Pinkish purple to purple homogeneous free flowing powder

#### Colour and Clarity of prepared medium

Green with orange cast opalescent solution with a flocculent precipitate

#### Reaction

Reaction of 8.43% w/v aqueous solution at 25°C. pH : 7.2±0.2

#### pH

7.00-7.40

#### Cultural Response

M1105: Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Organism	Inoculum (CFU)	Growth	Colour of colony (on membrane filter)
<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant	purple with green metallic sheen, dark centre
<i>Enterobacter aerogenes</i> ATCC 13048	50-100	good	pink, no sheen
<i>Klebsiella pneumoniae</i> ATCC 13883	50-100	good	purple
<i>Proteus mirabilis</i> ATCC 25933		luxuriant	colourless
<i>Salmonella Typhi</i> ATCC 6539	50-100	luxuriant	colourless
<i>Staphylococcus aureus</i> ATCC 25923	$\geq 10^3$	inhibited	-

### Storage and Shelf Life

Store below 30°C in tightly closed container and the prepared medium at 2-8°C. Use before expiry date on the label.

### Reference

1. Eaton A. D., Clesceri L. S. and Greenberg A. E., (Eds.), 1998, Standard Methods for the Examination of water and Waste water, 20th Ed., American Public Health Association, Washington, D.C.
2. Clark H. F., Geldreich E. E., Jeter M. L. and Kabler P. W., Public Health Rep., 66, 951
3. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. 1, Williams and Wilkins, Baltimore.

Revision : 2 / 2015

### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.