



Ethyl Violet Azide Broth (E.V.A. Broth)

M426

Ethyl Violet Azide Broth (E.V.A. Broth) is used as a selective and confirmative medium for detection of Enterococci and as an indicator of faecal pollution in water and other specimens.

Composition**

Ingredients	Gms / Litre
Casein enzymic hydrolysate	20.000
Dextrose	5.000
Dipotassium phosphate	2.700
Monopotassium phosphate	2.700
Sodium chloride	5.000
Sodium azide	0.400
Ethyl violet	0.00083
Final pH (at 25°C)	7.0±0.2

**Formula adjusted, standardized to suit performance parameters

Directions

Suspend 35.8 grams in 1000 ml distilled water. Heat, if necessary to dissolve the medium completely. Dispense in tubes in 10 ml amounts and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Warning : Sodium azide has a tendency to form explosive metal azides with plumbing materials. It is advisable to use enough water to flush off the disposables .

Principle And Interpretation

Ethyl Violet Azide Broth is based on the formulation of Litsky et al (4) and the present medium is a modification of medium developed by Litsky et al (3) with reduced amount of dextrose and increased dye concentration, making the medium highly specific for Enterococci. The presence of Enterococci acts as a valuable index of faecal or sewage pollution in water (1). E.V.A. Broth is used in conjunction with Azide Dextrose Broth (M345). Larkin et al (2) used Azide Dextrose Broth as a presumptive medium and E.V.A. Broth for the confirmation of the presence of Streptococci in frozen foods. They found that generally faecal Streptococci were recovered more consistently and in greater number than the coliforms and could be used in preference to coliforms as an indicator bacteria in frozen foods.

Litsky et al (4) studied a variety of dyes and selective agents for Streptococci and developed a confirmatory medium using ethyl violet and sodium azide as selective agents. Combination of 0.0083gm% of ethyl violet dye and 0.04gm% of azide provided the best selective action favouring growth of Streptococci (4).

EVA Broth contains casein enzymic hydrolysate as source of carbon, nitrogen, vitamins and minerals. Dextrose is the fermentable carbohydrate. Sodium azide and ethyl violet inhibit gram-positive bacilli and gram-positive cocci other than Enterococci. Monopotassium and dipotassium phosphates buffer the medium. Sodium chloride provides osmotic balance.

Quality Control

Appearance

Cream to yellow homogeneous free flowing powder

Colour and Clarity of prepared medium

Light amber coloured, clear solution in tubes

Reaction

Reaction of 3.58% w/v aqueous solution at 25°C. pH : 7.0±0.2

pH

6.80-7.20

Cultural Response

M426: Cultural characteristics observed after an incubation at 35-37°C for 24-48 hours .

Organism	Inoculum (CFU)	Growth
Cultural Response		
<i>Escherichia coli</i> ATCC 25922	$\geq 10^3$	inhibited
<i>Enterococcus faecalis</i> ATCC 50-100 29212		good-luxuriant with purple button at the bottom of tube
<i>Streptococcus pyogenes</i> ATCC 19615	$\geq 10^3$	inhibited

Storage and Shelf Life

Store below 30°C in tightly closed container and prepared medium at 2 - 8°C. Use before expiry date on the label.

Reference

1. Litsky W., Mallmann W.L. and Fifield C.W., 1953, Am. J. Publ. Health, 43:873.
2. Litsky W., Mallmann W.L. and Fifield C.W., 1955, Am. J. Publ. Health, 45:104.
3. Greenberg A. E., Trussell R. R. and Clesceri L. S. (Eds.), 1998, Standard Methods for the Examination of Water and Wastewater, 20th ed., APHA, Washington D.C.
4. Larkin, Litsky and Fuller, 1955, Appl. Microbiol., 3:98, 102, 104, 107.

Revision : 1 / 2011



Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.