



HIMEDIA[®]

Granulated Media

NEW

- ◆ Pharmaceuticals : Harmonized Media
- ◆ Cosmetics Industries
- ◆ Clinical Sectors
- ◆ Food & Meat Industries
- ◆ Dairy & Milk Industries
- ◆ Water Industries
- ◆ Molecular Biology
- ◆ Environment



HIMEDIA[®]

For life is precious

HiMedia introduces granulated culture media, combining the high throughput technology of granulation and production of dehydrated culture media. The effective media has similar qualitative attributes to that of powdered dehydrated culture media with several added benefits in physical parameters.

Uniform blends of culture media

Individual components of dehydrated culture media tend to segregate in transport or handling because of the difference in their particle size, shape and density. Granulated media from HiMedia form uniform consistency, which eliminates segregation and facilitates consistent analysis.

Superior flow properties

Flow rate of granular media is better than powder media and it could also prevent bridging and caking issues associated with powder media. Most of the culture media components are hygroscopic, and granulation could minimize this issue.

Control of media aerosols

Dust/Powder is generally difficult to handle in culture media preparation and may pose health related issues to the microbiologist upon exposure to the media aerosols. Antibiotics, and several other selective agents used in various media preparations may result in allergic response and several other health issues in various parts of the body.

Higher bulk density

Increased bulk density has been shown to have improved the packaging, storage and transport of dehydrated culture media.



Powder Media



Granulated Media

Product	Code	Packing
A-1 Broth for determining the presence of faecal coliforms in water samples and foods by MPN technique. Qty in Grams per Litre : 31.50	GM874-500G	500gm
Aero Pseudo Selective Agar used for detecting <i>Pseudomonas</i> and <i>Aeromonas</i> in foodstuffs, waste water as well as equipment from the food industry. Qty in Grams per Litre : 44.86	GM1620-500G	500gm
Alicyclobacillus Agar used for isolation of <i>Alicyclobacillus</i> in fruit juice. Qty in Grams per Litre : 28.95	GM1650-500G	500gm
Alkaline Peptone Water for enrichment of <i>Vibrio</i> species. Qty in Grams per Litre : 20.00	GM618-500G	500gm
Alternative Thioglycollate Medium (NIH Thioglycollate Broth) (Thioglycollate Broth, Alternative) for sterility testing of turbid or viscous biological products. Qty in Grams per Litre : 29.00	GM010-500G	500gm
Anaerobic Agar (Brewer) for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology. Qty in Grams per Litre : 53.00	GM491-500G	500gm
Antibiotic Assay Medium No.1 (Seed Agar) for microbiological assay of β -lactam and other antibiotics. Qty in Grams per Litre : 30.50	GM003-500G	500gm
Antibiotic Assay Medium No. 2 (Base Agar) for microbiological assay of antibiotics. Qty in Grams per Litre : 25.50	GM005-500G	500gm
Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast extract) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i> . Qty in Grams per Litre : 25.50	GM006-500G	500gm
Antibiotic Assay Medium No.11 (Erythromycin Seed Agar) (Neomycin, Erythromycin Assay Agar) for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3) Qty in Grams per Litre : 30.50	GM004-500G	500gm
Antibiotic Assay Medium No. 12 (Nystatin Assay Agar) for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> ATCC 2601. Qty in Grams per Litre : 62.50	GM280-500G	500gm
Antimicrobial Inhibitor Test Agar pH 6.0 recommended for residual analysis of antimicrobial components in meat and organ samples using <i>Bacillus subtilis</i> (ATCC 6633) and <i>Micrococcus luteus</i> (ATCC 9341) as test organisms. Qty in Grams per Litre : 25.00	GM1631-500G	500gm

Product	Code	Packing
Antimicrobial Inhibitor Test Agar pH 7.2 recommended for residual analysis of antimicrobial components in meat and organ samples using <i>Bacillus subtilis</i> (ATCC 6633) and <i>Micrococcus luteus</i> (ATCC 9341) as test organisms. Qty in Grams per Litre : 25.34	GM1601-500G	500gm
Antimicrobial Inhibitor Test Agar pH 8.0 recommended for residual analysis of antimicrobial components in meat and organ samples using <i>Bacillus subtilis</i> (ATCC 6633) and <i>Micrococcus luteus</i> (ATCC 9341) as test organisms. Qty in Grams per Litre : 26.07	GM1632-500G	500gm
APT Agar for cultivation of heterofermentative <i>Lactobacilli</i> and other organisms requiring a high thiamine content. Qty in Grams per Litre : 61.18	GM226-500G	500gm
*Asparagine Broth (Coccidioidin and Histoplasmin Broth) for the preparation of Coccidioidin and Histoplasmin antigens for immunodiagnostic work. Qty in Grams per Litre : 28.01	GM672-500G	500gm
Asparagine Proline Broth for cultivation of <i>Pseudomonas aeruginosa</i> from water samples by membrane filter technique. Qty in Grams per Litre : 14.50	GM1192-500G	500gm
Azide Dextrose Broth a selective medium for detection of <i>Streptococci</i> in water, sewage, food and other materials suspected of sewage contamination. Qty in Grams per Litre : 34.70	GM345-500G	500gm
Baird Parker Agar Base for isolation and enumeration of coagulase positive Staphylococci from food and other materials. Qty in Grams per Litre : 63.00	GM043-500G	500gm
*Egg Yolk Tellurite Emulsion (50ml / 100 ml per vial) No. of Vials : 8 vials Δ 4 vials Δ	FD046-50MLX5VL FD046-100MLX5VL	50mlx5vl 100mlx5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 8 vials Δ 4 vials Δ	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
*Potassium Tellurite 3.5% (1 ml per vial) No. of Vials : 3 vials Δ	FD047-5VL	5vl
*B P Sulpha Supplement No. of Vials : 8 vials Δ	FD069-5VL	5vl
*Fibrinogen Plasma Trypsin Inhibitor Supplement No. of Vials : 80 vials Δ	FD195-5VL	5vl

* Store between 2 - 8°C.

Δ Approx. number of vials required per 500gm of granulated medium.

● The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.



Product	Code	Packing
Base Agar (Antibiotic Assay Medium No. 2) for microbiological assay of antibiotics. Qty in Grams per Litre : 25.50	GM005-500G	500gm
Baird Staphylococcus Enrichment Broth Base for selective enrichment of pathogenic Staphylococci. Qty in Grams per Litre : 43.00	GM1091-500G	500gm
Potassium Tellurite 1% (1ml per vial) No. of Vials : 12 vials Δ	FD052-5VL FD052-5X5VL	5vl 5x5vl
Bi.G.G.Y. Agar (Nickerson Medium) for detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> . Qty in Grams per Litre : 45.00	GM217-500G	500gm
Bile Esculin Azide Agar recommended for isolation and presumptive identification of faecal Streptococci. The composition and performance criteria of this medium are as per the specifications laid down in ISO 7899-1:1984. Qty in Grams per Litre : 56.65	GM4931-500G	500gm
Bismuth Sulphite Agar for selective isolation of Salmonellae from faeces, urine, sewage and other materials. Qty in Grams per Litre : 52.33	GM027-500G	500gm
BLE Broth Base (Buffered Listeria Enrichment Broth Base) recommended by FDA Committee for enrichment procedure for isolation of <i>Listeria monocytogenes</i> . Qty in Grams per Litre : 47.95	GM1578-500G	500gm
*Listeria Selective Supplement II No. of Vials : 21 vials Δ	FD0631-5VL FD0631-5X5VL	5vl 5x5vl
Blood Agar Base (Infusion Agar) for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood. Qty in Grams per Litre : 40.00	GM073-500G	500gm
Blood Agar Base No. 2 w/ 1.2% Agar especially devised to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions. Qty in Grams per Litre : 39.50	GM834A-500G	500gm
*Brucella Selective Supplement No. of Vials : 26 vials Δ	FD005-5VL FD005-5X5VL	5vl 5x5vl
*Campylobacter Supplement-I (Blaser-Wang) No. of Vials : 26 vials Δ	FD006-5VL	5vl
*Campylobacter Supplement - II (Butzler) No. of Vials : 26 vials Δ	FD007-5VL FD007-5X5VL	5vl 5x5vl
*Campylobacter Supplement - III (Skirrow) No. of Vials : 26 vials Δ	FD008-5VL	5vl

Product	Code	Packing
*Campylobacter Growth Supplement No. of Vials : 26 vials Δ	FD009-5VL	5vl
*Strepto Supplement No. of Vials : 26 vials Δ	FD031-5VL FD031-5X5VL	5vl 5x5vl
Blood Free Campylobacter Selectivity Agar Base recommended for selective isolation and differentiation of <i>Campylobacter</i> species from food and animal feeding stuffs. The composition and performance criteria of this medium are as per the specifications laid down in ISO 10272:1995. Qty in Grams per Litre : 45.50	GM887-500G	500gm
*Campylobacter Supplement V (BFCSA) No. of Vials : 22 vials Δ	FD067-5VL	5vl
*CAT Selective Supplement No. of Vials : 22 vials Δ	FD145-5VL	5vl
Bolton Broth Base selective enrichment of <i>Campylobacter</i> species from food and animal feeding stuffs. The composition and performance criteria of this medium are as per the specifications laid down in ISO 10272-1:2006 (E). Qty in Grams per Litre : 27.61	GM1592-500G	500gm
*Bolton Selective Supplement No. of Vials : 37 vials Δ	FD231-5VL	5vl
Brain Heart Infusion Agar (Special Infusion Agar) for cultivation of fastidious pathogenic bacteria, yeasts and moulds. Qty in Grams per Litre : 52.00	GM211-500G	500gm
Brain Heart Infusion Broth for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations. Qty in Grams per Litre : 37.00	GM210-500G	500gm
Brilliant Green Agar Base w/ 1.2% Agar recommended as enrichment medium for isolation of Salmonellae from faeces, urine and other pathological materials. Qty in Grams per Litre : 50.09	GM016A-500G	500gm
*Sulpha Supplement No. of Vials : 20 vials Δ	FD068-5VL	5vl
Brilliant Green Agar Base w/ Phosphates recommended for selective isolation of Salmonellae while inhibiting <i>Escherichia coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species. Qty in Grams per Litre : 51.69	GM971-500G	500gm
*Sulpha Supplement No. of Vials : 20 vials Δ	FD068-5VL	5vl
Brilliant Green Bile Broth 2% recommended for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products. Qty in Grams per Litre : 40.01	GM121-500G	500gm

* Store between 2 - 8°C.

Δ Approx. number of vials required per 500gm of granulated medium.

\odot The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
Brilliant Green Bile Broth for isolation and cultivation of coliform organisms from cream, yogurt and raw milk. The composition and performance criteria of this medium are as per the specifications laid down in ISO 4831:1991. Qty in Grams per Litre : 39.51	GM121I-500G	500gm
Bromo Cresol Purple Broth w/ Lactose for identification of <i>Escherichia coli</i> and coliform bacteria from water samples. Qty in Grams per Litre : 28.02	GM1265-500G	500gm
Brucella Agar Base for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species from clinical and non-clinical specimens. Qty in Grams per Litre : 43.10	GM074-500G	500gm
*Brucella Selective Supplement No. of Vials : 24 vials △	FD005-5VL FD005-5X5VL	5vl 5x5vl
*Campylobacter Supplement-I (Blaser-Wang) No. of Vials : 24 vials △	FD006-5VL	5vl
*Campylobacter Supplement - II (Butzler) No. of Vials : 24 vials △	FD007-5VL FD007-5X5VL	5vl 5x5vl
*Campylobacter Supplement - III (Skirrow) No. of Vials : 24 vials △	FD008-5VL	5vl
*Campylobacter Growth Supplement No. of Vials : 24 vials △	FD009-5VL	5vl
**Horse Serum No. of Vials : 600 ml △	RM1239-100ML	100ml
Bryant and Burkey Medium for detecting and enumerating spores of lactate fermenting <i>Clostridium</i> in milk and dairy products. Qty in Grams per Litre : 33.00	GM1385-500G	500gm
BSC Propionate Agar Base (Bifidobacterium Selective Count Agar Base) recommended for enumeration of presumptive Bifidobacteria by colony count technique from milk products. Qty in Grams per Litre : 62.02	GM1734-500G	500gm
*BifidoSelective Supplement A No. of Vials : 17 vials △	FD250-5VL	5vl
*BifidoSelective Supplement B No. of Vials : 17 vials △	FD251-5VL	5vl
Buffered Glucose Broth (Glucose Phosphate Broth) (MR-VP Medium) see MR-VP Medium Qty in Grams per Litre : 17.00	GM070-500G	500gm
Buffered Glucose HiVeg™ Broth (Glucose Phosphate HiVeg™ Broth) (MR-VP HiVeg™ Medium) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. Qty in Grams per Litre : 17.00	GMV070-500G ⊙	500gm

Product	Code	Packing
Buffered Glucose Broth (MR-VP Medium) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. It is recommended by BIS committee under the specifications IS:5887 (Part I and Part V)-1976. Qty in Grams per Litre : 15.00	GM070S-500G	500gm
Buffered Listeria Enrichment Broth Base (BLE Broth Base) recommended by FDA Committee for enrichment procedure for isolation of <i>Listeria monocytogenes</i> . Qty in Grams per Litre : 47.95	GM1578-500G	500gm
*Listeria Selective Supplement II No. of Vials : 21 vials △	FD063I-5VL FD063I-5X5VL	5vl 5x5vl
Buffered Peptone Water as pre-enrichment medium for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6579:2002. Qty in Grams per Litre : 20.07	GM1494I-500G	500gm
Buffered Peptone Water for pre-enrichment of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation. Qty in Grams per Litre : 20.00	GM614-500G	500gm
*EC O157:H7 Selective Supplement No. of Vials : 25 vials △	FD247-5VL FD247-5X5VL	5vl 5x5vl
Buffered Peptone Water w/ NaCl recommended as a diluent for carrying out microbial limit test from clinical and non-clinical specimens. Qty in Grams per Litre : 16.09	GM1275-500G	500gm
Buffered Sodium Chloride-Peptone Solution, pH 7.0 🔄 recommended as a diluent for carrying out microbial limit testing by harmonized methodology of pharmaceutical products in accordance with USP/EP/BP/JP/IP. Qty in Grams per Litre : 14.64	GMH1275-500G	500gm
C.L.E.D. Agar w/ Bromo Thymol Blue for isolation and differentiation of urinary pathogens on the basis of lactose fermentation. Qty in Grams per Litre : 36.15	GM792-500G	500gm
Calcium Caseinate Agar for detection and enumeration of proteolytic microorganisms in foodstuffs and other materials. Qty in Grams per Litre : 30.19	GM1309-500G	500gm
Casein Soyabean Digest Agar (Soyabean Casein Digest Agar) (Tryptone Soya Agar) a general purpose medium used for cultivation of a wide variety of microorganisms. Qty in Grams per Litre : 40.00	GM290-500G	500gm

** Store at (-20°C) * Store between 2 - 8°C.



Product	Code	Packing
Casein-Soyabean Digest Agar (Soybean-Casein Digest Agar) a general purpose medium used for cultivation of a wide variety of microorganisms from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 40.00	GMH290-500G	500gm
Casein Soyabean Digest Broth (Soyabean Casein Digest Medium) a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP. Qty in Grams per Litre : 29.77	GMH011-500G	500gm
Cetrimide Agar recommended as a selective medium used for the isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 45.30 + 10ml glycerol	GMH024-500G	500gm
Cetrimide Agar Base for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens. Qty in Grams per Litre : 46.70 + 10ml glycerol	GM024-500G	500gm
*Nalidixic Selective Supplement No. of Vials : 11 vials	FD130-5VL	5vl
China Blue Lactose Agar for differentiation and enumeration of bacteria in milk. Qty in Grams per Litre : 38.30	GM580-500G	500gm
*Coccidioidin and Histoplasmin Broth (Asparagine Broth) for the preparation of Coccidioidin and Histoplasmin antigens for immunodiagnostic work. Qty in Grams per Litre : 28.01	GM672-500G	500gm
Columbia Agar for detection of <i>Clostridium sporogenes</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/JP. Qty in Grams per Litre : 44.00	GMH144-500G	500gm
*Gentamycin Selective Supplement No. of Vials : 12 vials	FD252-5VL	5vl
Columbia Blood Agar Base an efficient base for preparation of blood agar, chocolate agar and for various selective and identification media. Qty in Grams per Litre : 44.00	GM144-500G	500gm
*Brucella Selective Supplement No. of Vials : 23 vials	FD005-5VL FD005-5X5VL	5vl 5x5vl

Product	Code	Packing
*Campylobacter Supplement-I (Blaser-Wang) No. of Vials : 23 vials	FD006-5VL	5vl
*Campylobacter Supplement - II (Butzler) No. of Vials : 23 vials	FD007-5VL FD007-5X5VL	5vl 5x5vl
*Campylobacter Supplement - III (Skirrow) No. of Vials : 23 vials	FD008-5VL	5vl
*Campylobacter Growth Supplement No. of Vials : 23 vials	FD009-5VL	5vl
*Staph-Strepto Supplement No. of Vials : 23 vials	FD030-5VL	5vl
*Strepto Supplement No. of Vials : 23 vials	FD031-5VL FD031-5X5VL	5vl 5x5vl
*G. Vaginalis Selective Supplement No. of Vials : 23 vials	FD056-5VL	5vl
*Campylobacter Selective Supplement No. of Vials : 23 vials	FD090-5VL	5vl
*Campylobacter Supplement VI (Butzler) No. of Vials : 23 vials	FD106-5VL FD106-5X5VL	5vl 5x5vl
D.T.M. Agar Base (Dermatophyte Test Agar Base) for selective isolation of dermatophytes. Qty in Grams per Litre : 40.20	GM188-500G	500gm
*Dermato Supplement No. of Vials : 25 vials	FD015-5VL	5vl
Deoxycholate Agar for direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens. Qty in Grams per Litre : 45.03	GM030-500G	500gm
Deoxycholate Citrate Agar selective medium for the isolation of enteric pathogens particularly <i>Salmonella</i> and <i>Shigella</i> species. Qty in Grams per Litre : 70.52	GM065-500G	500gm
Deoxycholate Citrate Agar Medium recommended for isolation of <i>Shigella</i> species from food samples. It is recommended by BIS committee under the specifications IS:5887 (Part I)-1999. Qty in Grams per Litre : 55.45	GM065S-500G	500gm
Deoxycholate Lactose Agar for isolation and enumeration of coliforms in water, waste-water, milk and dairy products. Qty in Grams per Litre : 42.53	GM066-500G	500gm
DEV Lactose Peptone Broth for enrichment and titre determination of coliform bacteria. Qty in Grams per Litre : 25.01	GM1356-500G	500gm


* Store between 2 - 8°C.

Approx. number of vials required per 500gm of granulated medium.

Harmonized Media

The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
DEV Nutrient Agar for determining total microbial count in water and foods. Qty in Grams per Litre : 43.00	GM1884-500G	500gm
DEV Tryptophan Broth medium for subcultivation of coliform, differentiation and for indole testing in the bacteriological examination of water. Qty in Grams per Litre : 16.00	GM1901-500G	500gm
Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified) for selective cultivation of pathogenic fungi. Qty in Grams per Litre : 47.00	GM286-500G	500gm
*CC Supplement No. of Vials : 22 vials Δ	FD035-5VL	5vl
Dextrose Tryptone Agar for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods. Qty in Grams per Litre : 30.04	GM092-500G	500gm
▲ Dichloran Glycerol Medium Base for selective isolation of xerophilic moulds from food samples. Qty in Grams per Litre : 31.60	GM1129-500G	500gm
Dichloran Medium Base w/ Rose Bengal for selective isolation and enumeration of yeasts and moulds associated with food spoilage. Qty in Grams per Litre : 31.52	GM1000-500G	500gm
*Chloramphenicol Selective Supplement No. of Vials : 32 vials Δ	FD033-5VL FD033-5X5VL	5vl 5x5vl
Differential Reinforced Clostridial Agar for the enumeration and cultivation of Clostridia from water. Qty in Grams per Litre : 42.50	GM1603-500G	500gm
Differential Reinforced Clostridial Broth Base for the cultivation of Clostridia from water. Qty in Grams per Litre : 29.00	GM549-500G	500gm
DNase Test Agar Base for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. Qty in Grams per Litre : 42.00	GM482-100G	100gm
#Toluidine Blue (0.1 gm / vial) No. of Vials : 12 vials Δ	FD051-5VL FD051-2X5VL	5vl 2X5vl
EC Broth for selective enumeration of faecal and non faecal coliforms in water, wastewater and shell fish. Qty in Grams per Litre : 37.00	GM127-500G	500gm
EE Broth, Mossel for selective enrichment of <i>Enterobacteriaceae</i> in the bacteriological examination of foods. Qty in Grams per Litre : 43.46	GM287-500G	500gm

Product	Code	Packing
EMB Agar for differential isolation of Gram-negative enteric bacilli from clinical and non-clinical specimens. Qty in Grams per Litre : 35.96	GM317-500G	500gm
EMB Agar, Levine for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> . Qty in Grams per Litre : 37.46	GM022-500G	500gm
Endo Agar for the confirmation of the presumptive test for members of the coliform group. Qty in Grams per Litre : 41.50	GM029-500G	500gm
Endo Agar, Modified for detection and isolation of coliforms and other enteric organisms. Qty in Grams per Litre : 38.60	GM1075-500G	500gm
Enterobacteria Enrichment Broth Mossel  for selective enrichment of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 42.93	GMH287-500G	500gm
Erythromycin Seed Agar (Antibiotic Assay Medium No.11) (Neomycin, Erythromycin Assay Agar) for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3) Qty in Grams per Litre : 30.50	GM004-500G	500gm
Fluid Sabouraud Medium (Sabouraud Medium, Fluid) sterility test medium for moulds and lower bacteria in pharmaceutical preparations. Qty in Grams per Litre : 30.00	GM013-500G	500gm
Fluid Selenite Cystine Medium (Selenite Cystine Broth) (Twin Pack) enrichment medium for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical specimens. Qty in Grams per Litre : 19.01 gms of Part A + 4 gms of Part B	GM025-500G	500gm
Fluid Tetrathionate Medium w/o Iodine and BG (Tetrathionate Broth Base w/o Iodine and BG) selective enrichment medium for isolating Salmonellae from foods and other pathological materials. Qty in Grams per Litre : 46.00	GM032-500G	500gm
Fluid Thioglycollate Medium (Thioglycollate Medium, Fluid) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. Qty in Grams per Litre : 29.75	GM009-500G	500gm
Fraser Broth Base recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds. Qty in Grams per Litre : 54.92	GM1327-500G	500gm



Product	Code	Packing
*Fraser Selective Supplement No. of Vials : 18 vials Δ	FD125I-5VL	5vl
*Fraser Supplement No. of Vials : 18 vials Δ	FD141-5VL	5vl
Fraser Secondary Enrichment Broth Base for the isolation, cultivation and enrichment of <i>Listeria monocytogenes</i> from foods and environmental specimens. Qty in Grams per Litre : 57.85	GM1083-500G	500gm
*Fraser Enrichment Supplement No. of Vials : 9 vials Δ	FD065-5VL	5vl
*Fraser Selective Supplement No. of Vials : 9 vials Δ	FD125-5VL	5vl
▲ Fungobiotic Agar (Mycobio Agar) for isolation of dermatophytes and other pathogenic fungi. Qty in Grams per Litre : 35.55	GM475-100G	100gm
Gassner Lactose Agar for detection and isolation of pathogenic <i>Enterobacteriaceae</i> from food stuffs and other materials. Qty in Grams per Litre : 76.87	GM1022-500G	500gm
Gelatin DEV Agar for determining the total microbial count and detecting gelatin liquefying microorganisms in water. Qty in Grams per Litre : 50.00	GM1609-500G	500gm
Giolitti-Cantoni Broth Base for selective enrichment of <i>Staphylococcus aureus</i> from suspected food stuffs. Qty in Grams per Litre : 54.20	GM584-500G	500gm
*Potassium Tellurite 3.5% (1 ml per vial) No. of Vials : 15 vials Δ	FD047-5VL	5vl
Glucose Phosphate Broth (Buffered Glucose Broth) (MR-VP Medium) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. Qty in Grams per Litre : 17.00	GM070-500G	500gm
Glucose Phosphate HiVeg™ Broth (Buffered Glucose HiVeg™ Broth) (MR-VP HiVeg™ Medium) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. Qty in Grams per Litre : 17.00	GMV070-500G \odot	500gm
GN Broth, Hajna for selective enrichment of Gram-negative organisms of the enteric group. Qty in Grams per Litre : 39.00	GM242-500G	500gm
Hanahan's Broth (SOB Medium) for use in cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 28.08	GM1252-500G	500gm


Product	Code	Packing
Hektoen Enteric Agar for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens. Qty in Grams per Litre : 76.67	GM467-500G	500gm
Infusion Agar (Blood Agar Base) for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood. Qty in Grams per Litre : 40.00	GM073-500G	500gm
Iron Sulphite Agar for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods. Qty in Grams per Litre : 26.00	GM868-500G	500gm
Kanamycin Esculin Azide Agar for selective isolation and identification of group D Streptococci in foodstuffs. Qty in Grams per Litre : 44.67	GM510-100G	100gm
KF Streptococcus Agar Base w/ BCP for detection and enumeration of faecal Streptococci. Qty in Grams per Litre : 76.41	GM1007-500G	500gm
*TTC Solution 1% (10 ml per vial) No. of Vials : 7 vials Δ	FD057-5VL FD057-5X5VL	5vl 5x5vl
*Kimmig Fungi Agar Base for cultivation, isolation and identification of fungi. Qty in Grams per Litre : 50.40	GM1232-500G	500gm
*Kimmig Selective Supplement (Twin Pack) No. of Vials : 20 vials Δ	FD111-5VL	5vl
*George Kimmig Selective Supplement No. of Vials : 20 vials Δ	FD112-5VL	5vl
King's Medium A Base for the non selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species. Qty in Grams per Litre : 46.64	GM1543-500G	500gm
King's Medium B Base for the non selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species. Qty in Grams per Litre : 42.23	GM1544-500G	500gm
Kligler Iron Agar for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production. Qty in Grams per Litre : 57.52	GM078-500G	500gm
Kundrat Agar, Modified for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived foods. Qty in Grams per Litre : 40.52	GM1360A-500G	500gm
*Lactobacillus MRS Agar (MRS Agar) for isolation and cultivation of Lactobacilli. Qty in Grams per Litre : 67.15	GM641-500G	500gm

* Store between 2 - 8°C.










Δ Approx. number of vials required per 500gm / 100gm of granulated medium. \blacktriangle Store between 15-25°C



\odot The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
*Lactobacillus MRS Broth (MRS Broth) for cultivation of all Lactobacilli. Qty in Grams per Litre : 55.15	GM369-500G	500gm
Lactose Broth for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods. Qty in Grams per Litre : 13.00	GM1003-500G	500gm
Lauryl Sulphate Broth (Lauryl Tryptose Broth) for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other food samples. Qty in Grams per Litre : 35.60	GM080-500G	500gm
Legionella Agar Base with addition of supplements it is used for cultivation of <i>Legionella</i> species. Qty in Grams per Litre : 37.00	GM809-100G	100gm
*Legionella Growth Supplement (Twin Pack) (Part A & B) No. of Vials : 6 vials/100gm	FD016A-5VL	5vl
*Legionella Selective Supplement No. of Vials : 6 vials/100gm	FD017-5VL	5vl
Legionella Supplement (Twin Pack) (Part A & B) No. of Vials : 6 vials/100gm	FD041A-5VL	5vl
Legionella Agar Base with addition of supplements it is used for cultivation of <i>Legionella</i> species. Qty in Grams per Litre : 25.00	GM809A-500G	500gm
*Legionella Growth Supplement (BCYE) No. of Vials : 40 vials Δ	FD142-5VL	5vl
*Legionella (GVPC) Selective Supplement No. of Vials : 40 vials Δ	FD143-5VL FD143-5X5VL	5vl 5x5vl
*Legionella BMPA Selective Supplement No. of Vials : 40 vials Δ	FD144-5VL FD144-5X5VL	5vl 5x5vl
*Legionella Growth Supplement w/o L-Cysteine No. of Vials : 40 vials Δ	FD206-5VL FD206-5X5VL	5vl 5x5vl
*Legionella Selective Supplement (GVPN) No. of Vials : 40 vials Δ	FD242-5VL	5vl
Leifson Agar for isolation of <i>Salmonella</i> and <i>Shigella</i> species. Qty in Grams per Litre : 47.42	GM1380-500G	500gm
Letheen Agar, Modified (Modified Letheen Agar) for screening cosmetic products for microbial contamination. Qty in Grams per Litre : 54.10	GM946-500G	500gm

Product	Code	Packing
Letheen Broth, Modified (Modified Letheen Broth) for screening cosmetic products for microbial contamination. Qty in Grams per Litre : 42.80	GM976-500G	500gm
Listeria Identification Agar Base (PALCAM) for selective isolation and identification of <i>Listeria</i> species. Qty in Grams per Litre : 68.88	GM1064-500G	500gm
*Listeria Selective Supplement (PALCAM) No. of Vials : 15 vials Δ	FD061-5VL FD061-5X5VL	5vl 5x5vl
Listeria Identification Broth Base (PALCAM) for selective enrichment and identification of <i>Listeria</i> species. Qty in Grams per Litre : 47.38	GM1090-500G	500gm
*Listeria Selective Supplement (PALCAM) No. of Vials : 22 vials Δ	FD061-5VL FD061-5X5VL	5vl 5x5vl
Listeria Oxford Medium Base for isolation of <i>Listeria</i> species from pathological specimens. Qty in Grams per Litre : 55.50	GM1145-500G	500gm
*Oxford Listeria Supplement No. of Vials : 18 vials Δ	FD071-5VL	5vl
*Listeria Moxalactam Supplement No. of Vials : 18 vials Δ	FD126-5VL	5vl
Listeria Selective Broth Base for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens. Qty in Grams per Litre : 36.00	GM889-500G	500gm
*Listeria Selective Supplement II No. of Vials : 14 vials Δ	FD063-5VL	5vl
*Listeria Selective Supplement II No. of Vials : 28 vials Δ	FD063I-5VL FD063I-5X5VL	5vl 5x5vl
Listeria Selective Enrichment Broth for selective enrichment of <i>Listeria</i> species in accordance with FDA/IDF-FIL Qty in Grams per Litre : 36.10	GM1865-500G	500gm
Liver Meat Agar for cultivation of fastidious anaerobes. Qty in Grams per Litre : 34.20	GM1001-500G	500gm
Lowenstein Jensen Medium Base (L.J. Medium) recommended for isolation and cultivation of <i>Mycobacterium</i> species. Qty in Grams per Litre : 37.24	GM162-500G	500gm
Luria Agar for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 35.00	 GM557-500G	500gm



Product	Code	Packing
Luria Agar Base, Miller's Modification  Luria Agar Base, Miller's modification is used for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose. Qty in Grams per Litre : 30.50	GM1726-500G	500gm
Luria Bertani Agar, Miller (Miller Luria Bertani Agar)  for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies; may be used for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 40.00	GM1151-500G	500gm
Luria Bertani HiVeg™ Agar, Miller (Miller Luria Bertani HiVeg™ Agar)   for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies; may be used for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 40.00	GMV1151-500G	500gm
Luria Bertani Agar, Modified  for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies; may be used for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 30.00	GM1151F-500G	500gm
Luria Bertani Broth, Miller (Miller Luria Bertani Broth)  for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular biology studies; may be used for routine cultivation of not particularly fastidious microorganisms. Qty in Grams per Litre : 25.00	GM1245-500G	500gm
Luria Bertani HiVeg™ Broth, Miller (Miller Luria Bertani HiVeg™ Broth)   for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular biology studies; may be used for routine cultivation of not particularly fastidious microorganisms. Qty in Grams per Litre : 25.00	GMV1245-500G	500gm
Luria Broth  for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 20.00	GM575-500G	500gm
Luria Broth Base, Miller's Modification for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose. Qty in Grams per Litre : 15.50	GM1725-500G	500gm
Lysine Iron Agar for differentiation of enteric organisms especially <i>Salmonella arizonae</i> , based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H ₂ S). Qty in Grams per Litre : 34.56	GM377-500G	500gm

Product	Code	Packing
M17 Agar Base for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages. Qty in Grams per Litre : 33.25	GM929-500G	500gm
M17 Broth for cultivation and isolation of lactic Streptococci and their bacteriophages. Qty in Grams per Litre : 42.25	GM1029-500G	500gm
MacConkey Agar  MacConkey Agar is recommended for selective isolation and differentiation of coliforms from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. Qty in Grams per Litre : 49.53	GMH081-500G	500gm
MacConkey Agar w/0.15% Bile Salts, CV and NaCl for selective isolation and differentiation of coliform organisms and other enteric pathogens. Qty in Grams per Litre : 51.53	GM081-500G	500gm
MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate for cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic Gram-positive organisms. Qty in Grams per Litre : 55.00	GM082-500G	500gm
MacConkey Agar w/o CV, NaCl w/0.5% Bile Salts for cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic Gram-positive organisms. Qty in Grams per Litre : 47.07	GM082A-500G	500gm
MacConkey Broth  for the presumptive identification of coliforms from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. Qty in Grams per Litre : 34.51	GMH083-500G	500gm
MacConkey Broth Purple w/BCP for presumptive identification of coliforms from variety of specimens such as water, milk and food etc. Qty in Grams per Litre : 40.01	GM083-500G	500gm
MacConkey Broth w/Neutral Red for selective enrichment and enumeration of coliforms. Qty in Grams per Litre : 40.07	GM007-500G	500gm
MacConkey Sorbitol Agar (Sorbitol Agar) for isolation and identification of enteropathogenic <i>Escherichia coli</i> strains associated with infant diarrhoea. Qty in Grams per Litre : 50.03	GM298-500G	500gm

* Store between 2 - 8°C.  Harmonized Media

 Approx. number of vials required per 500gm of granulated medium.  For Molecular Biology Products.

 The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
MacConkey Sorbitol Agar Base recommended as the selective medium for isolation and detection of <i>Escherichia coli</i> O157 : H7 from food and animal feeding stuffs. The composition and performance criteria of this medium are as per the specifications laid down in Draft: ISO/DIS 16654:1999. Qty in Grams per Litre : 50.03	GM298I-500G	500gm
*Tellurite - Cefixime Supplement No. of Vials : 20 vials △	FD147-5VL	5vl
Malachite Green Broth for selective enrichment of <i>Pseudomonas aeruginosa</i> . Qty in Grams per Litre : 25.13	GM1266-500G	500gm
Malt Extract Agar Base (w/ Mycological Peptone) for detection, isolation and enumeration of yeasts and moulds. Qty in Grams per Litre : 50.00	GM137-500G	500gm
*10% Lactic acid solution (10 ml per vial) No. of Vials : 20 vials △	FD095-5VL FD095-5X5VL	5vl 5x5vl
Malt Extract Broth Base for detection and enumeration of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 20.00	GM255-500G	500gm
*10% Lactic acid solution (10 ml per vial) No. of Vials : 50 vials △	FD095-5VL FD095-5X5VL	5vl 5x5vl
Mannitol Salt Agar 🌀 for selective isolation of pathogenic Staphylococci from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 111.02	GMH118-500G	500gm
Mannitol Salt Agar Base for selective isolation of pathogenic Staphylococci. Qty in Grams per Litre : 111.02	GM118-500G	500gm
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 5 vials △ 3 vials △	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Maximum Recovery Diluent a protective and isotonic diluent used for maximal recovery of microorganisms. Qty in Grams per Litre : 9.50	GM1030-500G	500gm
M-Broth for detecting Salmonellae in foods and feeds by the accelerated enrichment serology procedures. Qty in Grams per Litre : 36.23	GM846-100G	100gm
M-Endo Agar LES for enumeration of coliforms in water using a two step membrane filter technique. Qty in Grams per Litre : 51.05	GM1106-500G	500gm

Product	Code	Packing
M-FC Agar Base for detection and enumeration of faecal coliforms using membrane filter technique at higher temperature (44.5° C). Qty in Grams per Litre : 52.10	GM1122-500G	500gm
#Rosolic Acid (0.1 gm/vl) No. of Vials : 10 vials △	FD058-5VL	5vl
Microbial Content Test Agar (Soyabean Casein Digest Agar w/Lecithin and Polysorbate 80) (Tryptone Soya Agar w/ Lecithin & Polysorbate 80) for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc. Qty in Grams per Litre : 45.70	GM449-500G	500gm
Miller Luria Bertani Agar (Luria Bertani Agar, Miller) 🌀 for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies; may be used for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 40.00	GM1151-500G	500gm
Miller Luria Bertani HiVeg™ Agar (Luria Bertani HiVeg™ Agar, Miller) 🌀 for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies; may be used for routine cultivation and estimation of not particularly fastidious microorganisms. Qty in Grams per Litre : 40.00	GMV1151-500G ☉	500gm
Miller Luria Bertani Broth (Luria Bertani Broth, Miller) 🌀 for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms. Qty in Grams per Litre : 25.00	GM1245-500G	500gm
Miller Luria Bertani HiVeg™ Broth (Luria Bertani HiVeg™ Broth, Miller) 🌀 for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms. Qty in Grams per Litre : 25.00	GMV1245-500G ☉	500gm
Mineral Modified Glutamate Medium Base (Double Strength) (Twin pack) for enumeration of coliform bacteria in water and waste water. Qty in Grams per Litre : 22.70 gms of Part A + 12.7 gms of Part B	GM643-500G	500gm
Minerals Modified Glutamate Agar Base (Twin Pack) recommended for the enumeration of <i>Escherichia coli</i> from meat and meat products. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1996, Draft ISO 1988, Draft ISO/ DIS 6391. Qty in Grams per Litre : 26.34 gms of Part A+ 6.35 gms of Part B	GM643I-500G	500gm



Product	Code	Packing
Modified Differential Clostridial Broth for enumeration of Clostridia from food stuffs and other samples by the MPN technique. Qty in Grams per Litre : 27.50	GM1085-500G	500gm
Modified EC Broth Base for isolation of <i>Escherichia coli</i> O157 : H7. Qty in Grams per Litre : 36.02	GM1285-500G	500gm
*Novobiocin Selective Supplement No. of Vials : 14 vials △	FD290-5VL	5vl
Modified Lethen Agar (Lethen Agar, Modified) for screening cosmetic products for microbial contamination. Qty in Grams per Litre : 54.10	GM946-500G	500gm
Modified Lethen Broth (Lethen Broth, Modified) for screening cosmetic products for microbial contamination. Qty in Grams per Litre : 42.80	GM976-500G	500gm
Modified Rappaport Vassiliadis Medium for selective enrichment of Salmonellae from food and environmental specimens. Qty in Grams per Litre : 30.03	GM1137-500G	500gm
Modified Semisolid RV Medium Base a semisolid medium for detection of motile <i>Salmonella</i> species from food and environmental specimens. Qty in Grams per Litre : 32.95	GM1482-500G	500gm
*IMRV/RV Selective Supplement No. of Vials : 16 vials △	FD193-5VL	5vl
Modified Soyabean Bile Broth Base recommended as an enrichment medium for the detection of <i>Escherichia coli</i> O157 : H7 from food and animal feeding stuffs. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1999 Draft ISO/DIS 16654. Qty in Grams per Litre : 33.00	GM1286I-500G	500gm
*Novobiocin Selective Supplement No. of Vials : 16 vials △	FD290-5VL	5vl
EC O157 : H7 Selective Supplement No. of Vials : 16 vials △	FD247-5VL FD247-5X5VL	5vl 5x5vl
Modified Tergitol 7 Agar Base (Tergitol -7 Agar Base, Modified) recommended for selective isolation and enumeration of coliform organisms in water by membrane filter method. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:1990. Qty in Grams per Litre : 57.15	GM616I-500G	500gm
*TTC Solution 1% (10 ml per vial) No. of Vials : 3 vials △	FD057-5VL FD057-5X5VL	5vl 5x5vl

Product	Code	Packing
*MRS Agar (Lactobacillus Agar) for isolation and cultivation of Lactobacilli. Qty in Grams per Litre : 67.15	GM641-500G	500gm
*MRS Broth (Lactobacillus Broth) for cultivation of all Lactobacilli. Qty in Grams per Litre : 55.15	GM369-500G	500gm
MR-VP Medium (Glucose Phosphate Broth) (Buffered Glucose Broth) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. Qty in Grams per Litre : 17.00	GM070-500G	500gm
MR-VP HiVeg™ Medium (Glucose Phosphate HiVeg™ Broth) (Buffered Glucose HiVeg™ Broth) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. Qty in Grams per Litre : 17.00	GMV070-500G ☉	500gm
MR-VP Medium (Buffered Glucose Broth) for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. It is recommended by BIS committee under the specifications IS:5887 (Part I and Part V)-1976. Qty in Grams per Litre : 15.00	GM070S-500G	500gm
MR-VP Medium for studying Methyl Red and Voges Proskauer tests to differentiate amongst coli-aerogenes group. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6579:2002. Qty in Grams per Litre : 17.00	GM070I-500G	500gm
Mueller Hinton Agar for determination of susceptibility of microorganisms to antimicrobial agents. Qty in Grams per Litre : 38.00	GM173-500G	500gm
Mueller Hinton Agar No. 2 for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Bauer-Kirby method, manufactured to contain low levels of thymine, thymidine, calcium and magnesium. Qty in Grams per Litre : 38.00	GM1084-500G	500gm
Mueller Hinton Broth to determine the susceptibility of bacteria to Sulphonamides by the tube dilution method. Qty in Grams per Litre : 21.00	GM391-500G	500gm
Mueller Kauffman Tetrathionate Broth Base for improved enrichment and isolation of Salmonellae. Qty in Grams per Litre : 82.05	GM876-500G	500gm

* Store between 2 - 8°C.

△ Approx. number of vials required per 500gm of granulated medium.

☉ The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
Mueller Kauffman Tetrathionate Novobiocin Broth Base recommended for improved enrichment and isolation of Salmonellae. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6579:2002. Qty in Grams per Litre : 89.42	GM14961-500G	500gm
*MKTT Novobiocin Supplement No. of Vials : 6 vials Δ	FD203-5VL	5vl
▲ Mycobio Agar (Fungobiotic Agar) for isolation of dermatophytes and other pathogenic fungi. Qty in Grams per Litre : 35.55	GM475-100G	100gm
MYP Agar Base (Phenol Red Egg Yolk Polymyxin Agar Base) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species. Qty in Grams per Litre : 46.02	GM636-500G	500gm
*Polymyxin B Selective Supplement No. of Vials : 22 vials Δ	FD003-5VL FD003-5X5VL	5vl 5x5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 22 vials Δ 11 vials Δ	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Neomycin, Erythromycin Assay Agar (Antibiotic Assay Medium No.11) (Erythromycin Seed Agar) for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3) Qty in Grams per Litre : 30.50	GM004-500G	500gm
Nickerson Medium (Bi.G.G.Y. Agar) for detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> . Qty in Grams per Litre : 45.00	GM217-500G	500gm
NIH Thioglycollate Broth (Alternative Thioglycollate Medium) (Thioglycollate Broth, Alternative) for sterility testing of turbid or viscous biological products. Qty in Grams per Litre : 29.00	GM010-500G	500gm
Nutrient Agar for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids. Qty in Grams per Litre : 28.00	GM001-500G	500gm
Nutrient Agar No.2 use as a general purpose culture medium. Qty in Grams per Litre : 40.00	GM1269-500G	500gm
Nutrient Agar, pH 7.0 recommended for cultivation of <i>Salmonella</i> species. Qty in Grams per Litre : 23.00	GM561A-500G	500gm

Product	Code	Packing
Nutrient Broth for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids. Qty in Grams per Litre : 13.00	GM002-500G	500gm
Nutrient Broth, pH 6.9 w/o NaCl recommended as general purpose medium for the cultivation of microorganisms. Qty in Grams per Litre : 8.00	GM088-500G	500gm
Nystatin Assay Agar (Antibiotic Assay Medium No. 12) for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> ATCC 2601. Qty in Grams per Litre : 62.50	GM280-500G	500gm
OF Basal Medium for differentiation of Gram-negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates. Qty in Grams per Litre : 9.38	GM395-500G	500gm
Orange Serum Agar for cultivation and enumeration of microorganisms associated with spoilage of citrus products, cultivation of <i>Lactobacilli</i> and other aciduric organisms and pathogenic fungi. Qty in Grams per Litre : 45.50	GM933-500G	500gm
Oxytetra Glucose Yeast Agar Base (OGYE Agar Base) for selective isolation and enumeration of yeasts and/or moulds in foods. Qty in Grams per Litre : 37.00	GM639-500G	500gm
*Oxytetra Selective Supplement No. of Vials : 27 vials Δ	FD032-5VL FD032-5X5VL	5vl 5x5vl
Oxytetra Glucose Yeast Agar Base (OGYE Agar Base) recommended for isolation and enumeration of yeasts & moulds from milk and milk products. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1992,ISO/DIS 6611. Qty in Grams per Litre : 37.00	GM639I-500G	500gm
*Oxytetra Selective Supplement No. of Vials : 27 vials Δ	FD032-5VL FD032-5X5VL	5vl 5x5vl
*Genta-Oxy Selective Supplement No. of Vials : 27 vials Δ	FD131-5VL FD131-5X5VL	5vl 5x5vl
PA Broth for the detection of presence & absence of coliform bacteria in water from treatment plants or distribution systems. Qty in Grams per Litre : 30.50	GM1186-500G	500gm



Product	Code	Packing
Perfringens Agar Base (Tryptose Sulphite Cycloserine Agar Base) (T.S.C./S.F.P. Agar Base) with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of <i>Clostridium perfringens</i> . Qty in Grams per Litre : 47.00	GM837-500G	500gm
*S.F.P. Supplement (Perfringens S.F.P. Supplement) No. of Vials : 22 vials	FD013-5VL FD013-4X5VL	5vl 4x5vl
*T.S.C. Supplement (Perfringens T.S.C. Supplement) No. of Vials : 22 vials	FD014-5VL FD014-4X5VL	5vl 4x5vl
*Clostridium Perfringens Supplement No. of Vials : 22 vials	FD243-5VL	5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 11 vials 6 vials	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Phenol Red Agar Base a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms. Qty in Grams per Litre : 31.02	GM053-500G	500gm
Phenol Red Broth Base a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms. Qty in Grams per Litre : 16.02	GM054-500G	500gm
Phenol Red Egg Yolk Polymyxin Agar Base (MYP Agar Base) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species. Qty in Grams per Litre : 46.02	GM636-500G	500gm
*Polymyxin B Selective Supplement No. of Vials : 22 vials	FD003-5VL FD003-5X5VL	5vl 5x5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 22 vials 11 vials	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Plate Count Agar (Standard Methods Agar) for determination of plate counts of microorganisms in foods, water and waste water. Qty in Grams per Litre : 23.50	GM091-500G	500gm
Potato Dextrose Agar for isolation and enumeration of yeasts and moulds from dairy and other food products. Qty in Grams per Litre : 39.00	GM096-500G	500gm
Potato Dextrose Agar for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. Qty in Grams per Litre : 39.00	GMH096-500G	500gm

Product	Code	Packing
Potato Dextrose Broth for cultivation and enumeration of yeasts and moulds. Qty in Grams per Litre : 24.00	GM403-500G	500gm
Pseudomonas Agar (For Fluorescein) for detection of fluorescein production by <i>Pseudomonas</i> species. Qty in Grams per Litre : 38.00	GM120-500G	500gm
Pseudomonas Agar (For Pyocyanin) for detection of pyocyanin production by <i>Pseudomonas</i> species. Qty in Grams per Litre : 46.40	GM119-500G	500gm
Pseudomonas Agar Base recommended for selective isolation of <i>Pseudomonas</i> species. Qty in Grams per Litre : 48.40	GM085-500G	500gm
*Cetrinix Supplement No. of Vials : 21 vials	FD029-5VL FD029-5X5VL	5vl 5x5vl
*CFC Supplement No. of Vials : 21 vials	FD036-5VL FD036-5X5VL	5vl 5x5vl
R-2A Agar for heterotrophic plate count of treated potable water using longer incubation periods. Qty in Grams per Litre : 18.12	GM962-500G	500gm
Rappaport Vassiliadis Salmonella Enrichment Broth recommended for selective enrichment of <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. Qty in Grams per Litre : 27.11	GMH1491-500G	500gm
Rappaport Vassiliadis Soya Broth (RVS Broth) recommended as a selective enrichment medium for the Salmonellae species, from the food and animal feeding stuffs. Qty in Grams per Litre : 26.74	GM1491-500G	500gm
Reinforced Clostridial Agar for the cultivation and enumeration of Clostridia and other anaerobes. Qty in Grams per Litre : 51.00	GM154-500G	500gm
Reinforced Medium for Clostridia for the cultivation and enumeration of <i>Clostridia</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. Qty in Grams per Litre : 37.54	GMH443-500G	500gm
Rinsing Fluid used as a rinsing fluid in the membrane filtration procedure. Qty in Grams per Litre : 9.00	GM1622-500G	500gm
*Rogosa SL Agar for selective cultivation of oral and faecal Lactobacilli. Qty in Grams per Litre : 74.72	GM130-500G	500gm

Product	Code	Packing
Rose Bengal Agar Base for selective isolation and enumeration of yeasts and moulds from environmental materials and food stuffs. Qty in Grams per Litre : 31.55	GM842-500G	500gm
*Chloramphenicol Selective Supplement No. of Vials : 32 vials Δ	FD033-5VL FD033-5X5VL	5vl 5x5vl
Sabouraud Dextrose Agar for cultivation of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 65.00	GM063-500G	500gm
Sabouraud Dextrose Agar H recommended for the cultivation of yeasts, moulds and aciduric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. Qty in Grams per Litre : 65.00	GMH063-500G	500gm
Sabouraud Dextrose Agar Medium 3 for cultivation of yeasts, moulds and aciduric microorganisms in accordance with IP 2010. Qty in Grams per Litre : 61.36	GMM063-500G	500gm
Sabouraud Dextrose Agar Base, Modified (Dextrose Agar Base, Emmons) for selective cultivation of pathogenic fungi. Qty in Grams per Litre : 47.00	GM286-500G	500gm
*CC Supplement No. of Vials : 22 vials Δ	FD035-5VL	5vl
Sabouraud Dextrose Broth (Sabouraud Liquid Medium) for cultivation of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 30.00	GM033-500G	500gm
Sabouraud Dextrose Broth H for cultivation of yeasts, moulds and aciduric microorganisms from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. Qty in Grams per Litre : 30.00	GMH033-500G	500gm
Sabouraud Dextrose HiVeg™ Broth (Sabouraud Liquid HiVeg™ Medium) for cultivation of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 30.00	GMV033-500G O	500gm
Sabouraud Dextrose Maltose Agar for cultivation of moulds and yeasts and for testing antimycotic substances. Qty in Grams per Litre : 45.00	GM1313-500G	500gm
Sabouraud Liquid Medium (Sabouraud Dextrose Broth) for cultivation of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 30.00	GM033-500G	500gm

Product	Code	Packing
Sabouraud Liquid HiVeg™ Medium (Sabouraud Dextrose HiVeg™ Broth) for cultivation of yeasts, moulds and aciduric microorganisms. Qty in Grams per Litre : 30.00	GMV033-500G O	500gm
Sabouraud Maltose Agar for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. Qty in Grams per Litre : 65.00	GM062-500G	500gm
Sabouraud Medium, Fluid (Fluid Sabouraud Medium) sterility test medium for moulds and lower bacteria in pharmaceutical preparations. Qty in Grams per Litre : 30.00	GM013-500G	500gm
Sakazakii DHL Agar used for the detection and isolation of pathogenic <i>Enterobacteriaceae</i> from all types of specimens. Qty in Grams per Litre : 63.73	GM1619-500G	500gm
SalEnrich Broth Base used for two-step enrichment of sublethally injured <i>Salmonellae</i> from foods and feeds. Qty in Grams per Litre : 35.00	GM1685-500G	500gm
#SalEnrich Selective Supplement No. of Vials : 58 vials Δ	FD238-5VL FD238-5X5VL	5vl 5x5vl
Salmonella Selective Enrichment Broth Base for selective isolation and differentiation of <i>Salmonella</i> species. Qty in Grams per Litre : 25.00	GM1843-500G	500gm
*Salmonella Selective Enrichment Supplement No. of Vials : 20 vials Δ	FD275-5VL	5vl
Seed Agar (Antibiotic Assay Medium No.1) for microbiological assay of β -lactam and other antibiotics. Qty in Grams per Litre : 30.50	GM003-500G	500gm
Selenite Broth (Selenite F Broth) (Twin Pack) an enrichment medium for isolation of <i>Salmonella</i> species from faeces, urine or other pathological materials. Qty in Grams per Litre : 19.00 gms of Part A + 4 gms of Part B	GM052-500G	500gm
Selenite Cystine Broth (Fluid Selenite Cystine Medium) (Twin Pack) enrichment medium for isolation of <i>Salmonellae</i> in foods, dairy products and materials of sanitary importance and clinical specimens. Qty in Grams per Litre : 19.01 gms of Part A + 4 gms of Part B	GM025-500G	500gm
Semisolid RV Medium Base for isolation of <i>Salmonella</i> species from food stuffs and other materials based on selective motility. Qty in Grams per Litre : 30.20	GM1428-500G	500gm

Store between 10-30°C * Store between 2 - 8°C.



Product	Code	Packing
*IMRV/RV Selective Supplement No. of Vials : 17 vials Δ	FD193-5VL	5vl
SIM Medium for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli. Qty in Grams per Litre : 36.23	GM181-500G	500gm
Simmons Citrate Agar for differentiating members of <i>Enterobacteriaceae</i> on the basis of citrate utilization. Qty in Grams per Litre : 24.28	GM099-500G	500gm
Skim Milk PCA recommended for determining the microbial count in milk and dairy products. Qty in Grams per Litre : 20.00	GM1623-500G	500gm
Slanetz and Bartley Medium for detection and enumeration of faecal <i>Streptococci</i> by membrane filter technique. Qty in Grams per Litre : 46.50	GM612-500G	500gm
Slanetz and Bartley Medium w/o TTC recommended for detection and enumeration of faecal <i>Streptococci</i> by membrane filtration technique. Qty in Grams per Litre : 46.40	GM612A-500G	500gm
SOB Medium (Hanahan's Broth) for use in cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 28.08	GM1252-500G	500gm
SOC Broth a medium for molecular biology. Qty in Grams per Litre : 28.08	GM1379-500G	500gm
Sorbitol Agar (MacConkey Sorbitol Agar) for isolation and identification of enteropathogenic <i>Escherichia coli</i> strains associated with infant diarrhoea. Qty in Grams per Litre : 50.03	GM298-500G	500gm
Soyabean Casein Digest Agar (Casein Soyabean Digest Agar) (Tryptone Soya Agar) a general purpose medium used for cultivation of a wide variety of microorganisms. Qty in Grams per Litre : 40.00	GM290-500G	500gm
Soyabean Casein Digest Agar (Casein-Soyabean Digest Agar) \ominus a general purpose medium used for cultivation of a wide variety of microorganisms from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 40.00	GMH290-500G	500gm

Product	Code	Packing
Soyabean Casein Digest Agar w/Lecithin and Polysorbate 80 (Microbial Content Test Agar) (Tryptone Soya Agar w/ Lecithin & Polysorbate 80) for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc. Qty in Grams per Litre : 45.70	GM449-500G	500gm
Soyabean Casein Digest Medium (Casein Soyabean Digest Broth) \ominus a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP. Qty in Grams per Litre : 29.77	GMH011-500G	500gm
Soyabean Casein Digest Medium (Tryptone Soya Broth) a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopoeia. Qty in Grams per Litre : 30.00	GM011-500G	500gm
Soyabean Casein Digest Medium, Sterile powder \ominus is γ irradiated sterile powder recommended for evaluation of sterility in manufacturing process. Qty in Grams per Litre : 29.77	GMH011G-500G	500gm
Soyabean HiVeg™ Medium (Tryptone Soya HiVeg™ Broth) \odot a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria. Qty in Grams per Litre : 30.00	GMV011-500G \odot	500gm
Soyabean HiVeg™ Medium, Sterile Powder \odot is a γ -irradiated sterile powder recommended for the evaluation of sterility in manufacturing process. Qty in Grams per Litre : 30.00	GMV011G-500G \odot	500gm
*SPS Agar for detection of <i>Clostridium perfringens</i> in foods. Qty in Grams per Litre : 40.03	GM632-500G	500gm
Special Infusion Agar (Brain Heart Infusion Agar) for cultivation of fastidious pathogenic bacteria, yeasts and moulds. Qty in Grams per Litre : 52.00	GM211-500G	500gm
SS Agar (Salmonella Shigella Agar) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuffs etc. Qty in Grams per Litre : 63.02	GM108-500G	500gm
Standard Methods Agar (Plate Count Agar) for determination of plate counts of microorganisms in foods, water and waste water. Qty in Grams per Litre : 23.50	GM091-500G	500gm

* Store between 2 - 8°C.

Δ Approx. number of vials required per 500gm of granulated medium. \ominus Harmonized Media

\odot The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Product	Code	Packing
Standard Nutrient Agar No. 1 for cultivation of fastidious bacteria. Qty in Grams per Litre : 37.00	GM1210-500G	500gm
Standard Nutrient Agar No. 2 recommended for the cultivation and enrichment of less fastidious bacteria. It can be used in detection of inhibitors in bacteriological examination of meat. Qty in Grams per Litre : 25.00	GM1627-500G	500gm
Standard Nutrient Broth No. 1 for cultivation of fastidious bacteria. Qty in Grams per Litre : 25.00	GM1224-500G	500gm
Streptomycin Assay Agar w/ Yeast extract (Antibiotic Assay Medium No. 5) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i> . Qty in Grams per Litre : 25.50	GM006-500G	500gm
Sugar Free Agar for examination of butter in accordance with International Dairy Federation. Qty in Grams per Litre : 34.00	GM307-500G	500gm
Super Broth for mass cultivation of <i>Escherichia coli</i> . Qty in Grams per Litre : 60.00	GM1316-500G	500gm
Super Broth No.II for cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 49.10	GM1689-500G	500gm
Tartoff - Hobbs Broth (Terrific Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 47.60	GM1250-500G	500gm
T.A.T. Broth Base for sterility testing of highly viscous or gelatinous substances such as salves, ointments and other cosmetic products. Qty in Grams per Litre : 25.00	GM562-500G	500gm
TCBS Agar for selective isolation and cultivation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's causing food poisoning. Qty in Grams per Litre : 89.08	GM189-500G	500gm
T.S.C./S.F.P. Agar Base (Tryptose Sulphite Cycloserine Agar Base) (Perfringens Agar Base) with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of <i>Clostridium perfringens</i> . Qty in Grams per Litre : 47.00	GM837-500G	500gm
*S.F.P. Supplement (Perfringens S.F.P. Supplement) No. of Vials : 22 vials Δ	FD013-5VL FD013-4X5VL	5vl 4x5vl
*T.S.C. Supplement (Perfringens T.S.C. Supplement) No. of Vials : 22 vials Δ	FD014-5VL FD014-4X5VL	5vl 4x5vl

Product	Code	Packing
*Clostridium Perfringens Supplement No. of Vials : 22 vials Δ	FD243-5VL	5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 11 vials Δ 6 vials Δ	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Tergitol -7 Agar Base, Modified (Modified Tergitol 7 Agar Base) recommended for selective isolation and enumeration of coliform organisms in water by membrane filter method. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:1990. Qty in Grams per Litre : 57.15	GM616I-500G	500gm
*TTC Solution 1% (10 ml per vial) No. of Vials : 3 vials Δ	FD057-5VL FD057-5X5VL	5vl 5x5vl
Terrific Broth (Tartoff - Hobbs Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 47.60	GM1250-500G	500gm
Tetrathionate Brilliant Green Bile Broth for isolation and identification of Salmonellae. Qty in Grams per Litre : 63.07	GM1255-500G	500gm
Tetrathionate Broth Base w/o Iodine and BG (Fluid Tetrathionate Medium w/o Iodine and BG) selective enrichment medium for isolating Salmonellae from foods and other pathological materials. Qty in Grams per Litre : 46.00	GM032-500G	500gm
Thioglycollate Broth, Alternative (Alternative Thioglycollate Medium) (NIH Thioglycollate Broth) for sterility testing of turbid or viscous biological products. Qty in Grams per Litre : 29.00	GM010-500G	500gm
Thioglycollate Medium, Fluid (Fluid Thioglycollate Medium) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. Qty in Grams per Litre : 29.75	GM009-500G	500gm
Tryptose Sulphite Cycloserine Agar Base (Perfringens Agar Base) (T.S.C./S.F.P. Agar Base) with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of <i>Clostridium perfringens</i> . Qty in Grams per Litre : 47.00	GM837-500G	500gm
*S.F.P. Supplement (Perfringens S.F.P. Supplement) No. of Vials : 22 vials Δ	FD013-5VL FD013-4X5VL	5vl 4x5vl

* Store between 2 - 8°C.

Δ Approx. number of vials required per 500gm of granulated medium.

\odot The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.



Product	Code	Packing
*T.S.C. Supplement (Perfringens T.S.C. Supplement) No. of Vials : 22 vials Δ	FD014-5VL FD014-4X5VL	5vl 4x5vl
*Clostridium Perfringens Supplement No. of Vials : 22 vials Δ	FD243-5VL	5vl
*Egg Yolk Emulsion (50ml / 100 ml per vial) No. of Vials : 11 vials Δ 6 vials Δ	FD045-50MLX5VL FD045-100MLX5VL	50mlx5vl 100mlx5vl
Triple Sugar Iron Agar for identification of Gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production. Qty in Grams per Litre : 64.52	GM021-500G	500gm
Tryptone Broth (Tryptone Water) for detection of indole producing microorganisms. Qty in Grams per Litre : 15.00	GM463-500G	500gm
Tryptone Glucose Extract Agar (Tryptone Glucose Yeast Extract Agar) for enumeration of bacteria in water, air, milk and dairy products. Qty in Grams per Litre : 24.00	GM014-500G	500gm
Tryptone Soya Agar (Casein Soyabean Digest Agar) (Soyabean Casein Digest Agar) a general purpose medium used for cultivation of a wide variety of microorganisms. Qty in Grams per Litre : 40.00	GM290-500G	500gm
Tryptone Soya Broth (Soyabean Casein Digest Medium) a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopoeia. Qty in Grams per Litre : 30.00	GM011-500G	500gm
Tryptone Soya Agar w/ Lecithin & Polysorbate 80 (Microbial Content Test Agar) (Soyabean Casein Digest Agar w/Lecithin and Polysorbate 80) for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc. Qty in Grams per Litre : 45.70	GM449-500G	500gm
Tryptone Soya HiVeg™ Broth (Soyabean HiVeg™ Medium) a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria. Qty in Grams per Litre : 30.00	GMV011-500G \odot	500gm
Tryptone Soya Yeast Extract Agar recommended for confirmation of <i>Listeria</i> in Henry's light. Qty in Grams per Litre : 51.00	GM1214-500G	500gm
Tryptone Water (Tryptone Broth) for detection of indole producing microorganisms. Qty in Grams per Litre : 15.00	GM463-500G	500gm

Product	Code	Packing
Tryptose Broth for the cultivation primarily of <i>Brucella</i> species. Qty in Grams per Litre : 26.00	GM177-500G	500gm
Violet Red Bile Agar for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products. Qty in Grams per Litre : 41.53	GM049-500G	500gm
Violet Red Bile Glucose Agar \odot recommended for detection and enumeration of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 40.62	GMH581-500G	500gm
Violet Red Bile Glucose Agar w/o Lactose recommended for enumeration of <i>Enterobacteriaceae</i> in raw foods Qty in Grams per Litre : 38.53	GM581-500G	500gm
Wort Agar for the cultivation and enumeration of yeasts. Qty in Grams per Litre : 48.28	GM129-500G	500gm
Wort Broth for cultivation and enumeration of yeasts. Qty in Grams per Litre : 33.28	GM333-500G	500gm
Xylose Lysine Deoxycholate Agar (XLD Agar) for selective isolation and enumeration of <i>Salmonella</i> Typhi and other <i>Salmonella</i> species. Qty in Grams per Litre : 56.68	GM031-500G	500gm
Xylose-Lysine Deoxycholate Agar \odot a selective medium recommended for the isolation and enumeration of <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. Qty in Grams per Litre : 54.80	GMH031-500G	500gm
▲ Yeast Glucose Chloramphenicol Agar selective agar recommended for enumerating yeasts and moulds in milk and milk products. Qty in Grams per Litre : 40.10	GM1590-500G	500gm
YPD Broth (YEPD Broth) for the growth of <i>Saccharomyces cerevisiae</i> for molecular biology. Qty in Grams per Litre : 50.00	GM1363-500G	500gm
YT Agar for growth of <i>Escherichia coli</i> K12 strains used in preparation of phage and plasmid DNA according to Miller. Qty in Grams per Litre : 28.00	GM1369-500G	500gm
YT Broth (2X YT Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> . Qty in Grams per Litre : 31.00	GM1251-500G	500gm

* Store between 2 - 8°C. ▲ Store between 15-25°C
 Δ Approx. number of vials required per 500gm of granulated medium. \odot Harmonized Media
 \odot The Animal based peptones in this medium have been fully replaced by TSE/BSE and GMO free Vegetable peptones.

Innovation begins with the Right Choices


HiMedia DCMTM
Dehydrated Culture Media & Media Bases

HiCromeTM
Comprehensive Range of
Chromogenic Media

 **CellCulture**^{HIMEDIA}
Enabling Breakthroughs

ReadyTM
PREPARED
HIMEDIA

Animal-free
HiVegTM
Culture Media
& Peptones


MolBioTM
HIMEDIA
Unzipping Genes


LAB AIDTM
HIMEDIA


PlantigenTM
HIMEDIA


Hi-AgroTM

HIMEDIATM
HiDtect


HIMEDIA[®]
LabChemicals & BioChemicals



HIMEDIA

Granulated Media

Globally **now** HiMedia
makes available
Premeasured
Granulated Media
in Capsules



Granulated Media in Capsule



Zoomed image of actual capsule

Literature code : TL349-00/Granulated Media Catalogue/07/14



HiMedia Laboratories Pvt. Limited

A-516, Swastik Disha Business Park, Via Vadhani Indl. Est. LBS Marg, Mumbai - 400 086, India
Tel: 00-91-22-6147 1919 ■ Fax: 6147 1920, 2500 5764 ■ Email: info@himedialabs.com ■ Web: www.himedialabs.com

All rights reserved © HiMedia Laboratories Pvt. Limited, 2014

HIMEDIA

For life is precious