



Technical Data

Bromo Thymol Blue Supplement

FD091

This supplement is recommended for the isolation and presumptive identification of microflora in urinary tract.

Composition

Per vial sufficient for 1000 ml medium

Ingredients

Bromo thymol blue

Concentration

20mg

Directions:

Rehydrate the content of 1 vial aseptically with 2 ml of sterile 0.2 N Sodium hydroxide. Mix well and aseptically add to 1000 ml of sterile, molten, cooled (45-50°C) CLED Agar Base without Indicator [M1146](#) / CLED HiVeg™ Agar Base without Indicator [MV1146](#). Mix well and pour into sterile petri plates.

Storage and Shelf Life

Store at 10-30°C. Use before expiry date on the label.

Revision : 1 / 2012

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.