



Technical Data

Streptococcus Selective Supplement

FD119

Recommended for the selective isolation and cultivation of *Streptococci* of medical and veterinary importance.

Composition

Per vial sufficient for 500 ml medium

*Ingredients

Colistin sulphate
Oxolinic acid

Concentration

5mg
2.500mg

Directions:

Rehydrate the contents of one vial aseptically with 1 ml of 0.2N NaOH and 4ml of sterile distilled water. Mix well and aseptically add to 500 ml of sterile, molten, cooled (45-50°C) Columbia Blood Agar Base w/1% Agar [M144A](#) / Columbia Blood Agar Base w/1% Agar, HiVeg™ [MV144A](#) along with 5% v/v defibrinated blood. Mix well and pour into sterile petri plates.

Storage and Shelf Life

Store at 2-8°C. Use before the expiry date on the label.

Revision : 2 / 2018

* Not For Medicinal Use

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.