

Technical Data

Nalidixic Selective Supplement

An antibiotic supplement recommended for the selective isolation of *Pseudomonas aeruginosa* from clinical specimens.

Composition

Per vial sufficient for 1000 ml medium

*Ingredients

Nalidixic acid

Directions:

Rehydrate the content of 1 vial aseptically with 5 ml of sterile distilled water. Mix well and aseptically add to 1000 ml of sterile, molten, cooled (45-50°C) Cetrimide Agar Base $\underline{M024}$ / Cetrimide HiVegTM Agar Base $\underline{MV024}$. Mix well and pour into sterile petri plates.

Storage and Shelf Life

Store at 2-8°C. Use before the expiry date on the label.

Revision : 1 / 2012

* Not For Medicinal Use

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia[™] publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia[™] Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. A-516,Swastik Disha Business Park,Via Vadhani Ind. Est., LBS Marg, Mumbai-400086, India. Customer care No.: 022-6147 1919 Email: techhelp@himedialabs.com Website: www.himedialabs.com

FD130

Concentration

15mg